



**Bakrie Pipe
Industries**



API Spec 5L

PT. Bakrie Pipe Industries is a pioneer of steel pipe manufacturing with established network in line with Indonesia's development.

Supported by approximately 600 employees, mostly spearheading the technical department across the processing plant and in the field.

Experienced in production process for more than half a decade with a systematic delivery process from the start of production process with high efficiency and accuracy.

STEEL LINE PIPE FOR :

- Onshore
- Offshore
- Sour Service

Our Contact :
PT Mitra Jaya Makmur Abadi
General Supplier

Office
Jl. Pangeran Jayakarta Komplek 117 No B12
Jakarta Pusat 10730

Call number : 021-623 20 230
021 – 6287444 (fax)
marketing@rajapipa.co.id
marketing01mjma99@gmail.com
www.rajapipa.co.id

Nominal Size	Outside Diameter		Wall Thickness		Weight		Minimum Standard Test Pressure							
	inch	mm	inch	mm	lb/ft	kg/m	Grade B or L245	Grade 42 or L290	Grade 46 or L360	Grade 52 or L360	Grade 56 or L390	Grade 60 or L415	Grade 65 or L450	Grade 70 or L485
2 3/8	2.375	60,3	0.083	2,1	2.03	3,01	1480	1760						
			0.109	2,8	2.64	3,97	1980	2350						
			0.125	3,2	3.01	4,51	226	2680						
			0.141	3,6	3.37	5,03	2470	2970						
			0.154	3,9	3.66	5,42	2470	2970						
2 7/8	2.875	73,0	0.083	2,1	2.48	3,67	1230	1450						
			0.109	2,8	3.22	4,85	1630	1940						
			0.125	3,2	3.67	5,51	1870	2220						
			0.141	3,6	4.12	6,16	2100	2490						
			0.156	4,0	4.53	6,81	2330	2770						
			0.172	4,4	4.97	7,44	2470	2970						
			0.188	4,8	5.40	8,07	2470	2970						
3 1/2	3.500	88,9	0.109	2,8	3.95	5,95	1340	1590						
			0.125	3,2	4.51	6,76	1530	1820						
			0.141	3,6	5.06	7,57	1730	2050						
			0.156	4,0	5.58	8,37	1920	2270						
			0.172	4,4	6.12	9,17	2110	2500						
			0.188	4,8	6.66	9,95	2300	2730						
			0.216	5,5	7.58	11,31	2470	2970						
4 1/2	4.500	114,3	0.125	3,2	5.85	8,77	1190	1410	1560	1750				
			0.141	3,6	6.57	9,83	1340	1590	1750	1970				
			0.156	4,0	7.24	10,88	1490	1770	1950	2190				
			0.172	4,4	7.96	11,92	1640	1950	2140	2410				
			0.188	4,8	8.67	12,96	1790	2120	2340	2630				
			0.203	5,2	9.32	13,99	1940	2300	2530	2850				
			0.219	5,6	10.02	15,01	2090	2480	2730	2970				
			0.237	6,0	10.80	16,02	2240	2650	2920	2970				
			0.250	6,4	11.36	17,03	2390	2830	2970	2970				
5 9/16	5.563	141,3	0.188	4,8	10.80	16,16	1450	1720	1890	2130				
			0.219	5,6	12.51	18,74	1690	2000	2210	2480				
			0.258	6,6	14.63	21,92	1990	2360	2600	2930				
6 5/8	6.625	168,3	0.172	4,4	11.87	17,78	1110	1650	1820	2050				
			0.188	4,8	12.94	19,35	1220	1800	1990	2230				
			0.203	5,2	13.94	20,91	1320	1950	2150	2420				
			0.219	5,6	15.00	22,47	1420	2100	2320	2610				
			0.250	6,4	17.04	25,55	1620	2400	2650	2980				
			0.280	7,1	18.99	28,22	1800	2660	2940	2970				
			0.312	7,9	21.06	31,25	2000	2960	2970	2970				
			0.344	8,7	23.10	34,24	2970	2970	2970	2970				
			0.375	9,5	25.05	37,2	2970	2970	2970	2970				
8 5/8	8.625	219,1	0.188	4,8	16.96	25,37	930	1380	1530	1720	1860			
			0.203	5,2	18.28	27,43	1010	1500	1650	1860	2020			
			0.219	5,6	19.68	29,48	1090	1610	1780	2000	2170			
			0.250	6,4	22.38	33,57	1240	1850	2030	2290	2480			
			0.277	7,0	24.72	36,61	1360	2020	2220	2500	2710			
			0.312	7,9	27.73	41,14	1540	2280	2510	2820	2970			
			0.322	8,2	28.58	42,65	1600	2360	2610	2930	2970			
			0.344	8,7	30.45	45,14	1690	2510	2760	2970	2970			
			0.375	9,5	33.07	49,10	1850	2740	2970	2970	2970			
			0.438	11,1	38.33	56,94	2970	2970	2970	2970	2970			
			0.500	12,7	43.43	64,64	2970	2970	2970	2970	2970			
10 3/4	10.750	273,1	0.188	4,8	21.23	31,76	750	1260	1390	1560	1690	1800	1950	2100
			0.203	5,2	22.89	34,35	810	1360	1500	1690	1830	1950	2110	2280
			0.219	5,6	24.65	36,94	870	1470	1620	1820	1970	2100	2280	2450
			0.250	6,4	28.06	42,09	1000	1680	1850	2080	2260	2400	2600	2800
			0.279	7,1	31.23	46,57	1110	1860	2050	2310	2500	2660	2890	2970
			0.307	7,8	34.27	51,03	1220	2040	2250	2540	2750	2920	2970	2970
			0.344	8,7	38.27	56,72	1360	2280	2510	2830	2970	2970	2970	2970
			0.365	9,3	40.52	60,50	1450	2440	2690	2970	2970	2970	2970	2970
			0.438	11,1	48.28	71,72	1730	2910	2970	2970	2970	2970	2970	2970
			0.500	12,7	54.79	81,55	1980	2970	2970	2970	2970	2970	2970	2970

Marking Example :

